

Med J Islam Repub Iran. 2025 (28 Jul);39.99. https://doi.org/10.47176/mjiri.39.99



Managing the Psychosocial Aftermath of the Rajaee Port Blast in Southern Iran: Quick Emergency Response in the First Month After the Blast

Hadi Zarafshan¹, Hamid Reza Fathi², Bita Seddigh³, Alireza Raeisi⁴, Ali Bahramnejad⁵, Yahya Mirzadeh³, Ali Asadi⁶, Mohammad Reza Ghaffarzadeh Razzaghi⁷, Mohammadreza Shalbafan⁸* D

Received: 15 Jun 2025 Published: 28 Jul 2025

Conflicts of Interest: None declared Funding: None

*This work has been published under CC BY-NC-SA 4.0 license. Copyright© Iran University of Medical Sciences

Cite this article as: Zarafshan H, Fathi HR, Seddigh B, Raeisi A, Bahramnejad A, Mirzadeh Y, Asadi A, Ghaffarzadeh Razzaghi MR, Shalbafan M. Managing the Psychosocial Aftermath of the Rajaee Port Blast in Southern Iran: Quick Emergency Response in the First Month After the Blast. Med J Islam Repub Iran. 2025 (28 Jul);39:99. https://doi.org/10.47176/mjiri.39.99

Introduction

At 12:05 local time on April 26, 2025, a sudden and catastrophic explosion occurred at Iran's primary commercial port, the Port of Shahid Rajaee near the Persian Gulf (Figure 1), and it took almost 2 days to bring the blast under control fully. This is one of the most traumatic disasters in recent years in Iran, with severe and multifaceted adverse effects, both immediate and potentially long-term. In total, 1,023,609 residents across 3 cities (Bandar Abbas, Bandar Khamir, and Qeshm) were within the exposure zone. The incident resulted in 1404 injuries, including 145 hospital admissions to specialty departments, 22 intensive care unit admissions, and, tragically, 65 fatalities (1).

Among the most significant consequences of disasters of this scale are their profound psychosocial impacts (2). Numerous studies have demonstrated a significant increase in mental health problems among affected populations, with severity correlating to exposure levels (3). Effective management of psychosocial consequences of disasters requires collaboration between governmental and nongovernmental organizations and integrating mental health and psychosocial support with other relief efforts at different stages (4).

In Iran, the Mental and Social Health and Addiction Department of the Iranian Ministry of Health and Medical Education is in charge of leading national initiatives to reduce disaster-related mental health burdens, build psychological resilience, and equip survivors with skills for recovery and social reintegration. All operations are conducted in coordination with relevant agencies, including the Iranian Red Crescent Society (IRCS), Iran's State Welfare Organization, and the Ministry of Interior. Typically, volunteers, non-governmental organizations (NGOs), and scientific associations actively help official agencies in disaster response efforts.

Here is an overview of major activities conducted by us, at the Mental and Social Health and Addiction Department, and our key partners in response to the Rajaee Port blast during the first month following the incident:

• In total, the Ministry of Health and its key partners deployed 259 teams and screened 7823 explosion-exposed people (for summary of operational data by organizations up to May 26, 2025) (Table 1).

Corresponding author: Dr Mohammadreza Shalbafan, Shalbafan.mr@iums.ac.ir

- 1. Department of Translational Psychiatry and Psychology, Psychiatry and Psychology Research Center, Tehran University of Medical Sciences, Tehran, Iran
- ² Department of Epidemiology and Biostatistics, School of Health, Mashhad University of Medical Sciences, Mashhad, Iran
- ^{3.} Hormozgan University of Medical Sciences, Bandar Abbas, Iran
- 4. School of Medicine, Tehran University of Medical Sciences, Tehran, Iran
- ^{5.} Neuroscience Research Center, Kerman University of Medical Science, Kerman, Iran
- ^{6.} Department of Health Psychology, Kish International Campus, University of Tehran, Tehran, Iran
- 7. Psychosocial Health and Addiction Department, Shahid Beheshti University of Medical Sciences, Tehran, Iran
- 8. Mental Health Research Center, Psychosocial Health Research Institute, Department of Psychiatry, School of Medicine, Iran University of Medical Sciences, Tehran, Iran



Figure 1. The explosion site in southern Iran

Immediately After the News of the Incident, the Following Measures Were Taken

• Coordination with the Deputy of Health at Hormozgan University of Medical Sciences and Health Services to assess the current situation, review training records, and the number of trained personnel available at the university

- Updating and sending required educational resources and materials based on the circumstances.
- Formation of a rapid assessment team of trained psychologists from Hormozgan University of Medical Sciences to visit hospitals and gathering centers for the injured (in coordination with the Deputy of Treatment at the university) and evaluate the condition of the wounded, eyewitnesses, and rescue teams.
- On the day of the incident, an online technical and operational meeting was held from 22:00 to 24:00 by the Mental and Social Health and Addiction department of the Deputy Ministry, attended by the Director-General and heads of the departments, the Director of the Mental and Social Health and Addiction department at Hormozgan University of Medical Sciences, and the advisory scientific committee of the office to determine the focal point and plan activities for the coming days.
- A preliminary action plan was drafted based on the type of incident and the received report, in accordance with the National Program for Health System Preparedness and Response in Disasters and Incidents, by the program's focal point and the office consultant.
- Coordination with the Deputy of Health in Hormozgan to announce urgent proposed measures.
 - Preparation of a news release on the necessity of

Table 1. Operational data by organizations up to May 26, 2025

| NO | Organizations | | The Ministry of Health and affiliated | The Red Crescent Society | The State Wel- fare Organiza- tion | The Police Command | Total number |
|----|---|---|---|--------------------------------|--|-----------------------|-----------------|
| 1 | Number of deployed teams | | 126 | 30 | 101 | 2 | 259 |
| 2 | Psychologically | Total number | 3343 | 536 | 3912 | 32 | 7823 |
| | screened individuals among the explosion- | Number of screen-positive cases | 856 | 70 | 568 | 22 | 1516 |
| | exposed population | Number of individual psycho- therapy sessions held | 143 | 3 | 21 | 0 | 167 |
| | | Number of group therapy ses- sions held | 78 | 3 | 244 | 0 | 325 |
| | | Total number of group therapy attendees | 762 | 19 | 338 | 0 | 1119 |
| 3 | Psychologically | Total number | 643 | NP | 521 | NP | 1164 |
| | screened individuals among the explosion-in- jured population | Number of screen-positive cases Number of individual psycho- therapy sessions held | 184 | NP | 262 | NP | 446 |
| | | Number of group therapy ses- sions held | 1 | NP | 1 | NP | 2 |
| | | Total number of group therapy attendees | 6 | NP | 15 | NP | 21 |
| 4 | Number of psychologi- | Total number | 31 | NP | NP | NP | 31 |
| | cally screened families of the deceased | Number of screen-positive cases | 18 | NP | NP | NP | 18 |
| | | Number of individual psycho- therapy sessions held | 17 | NP | NP | NP | 17 |
| 5 | Number of group therapy sessions held for | Number of group therapy ses- sions held | 45 | NP | NP | NP | 45 |
| | rescue workers/emer- gency responders | Total number of group therapy attendees | 256 | NP | NP | NP | 256 |
| | | Number of individuals requir- ing further therapeutic inter- ventions | 108 | NP | NP | NP | 108 |

NP: Not-reported

managing news dissemination to protect the mental health of the affected population, published on the WEBDA platforms (Public Relations and Information Center of the Ministry of Health and Medical Education) and other news outlets.

- Second online technical-operational meeting were held on April 28, 2025 from 22:00 to 24:00 to review actions and approve the action plan by the Mental and Social Health and Addiction department, attended by the Director-General, heads of departments, the Director of Mental Health at Hormozgan University, the advisory committee, a representative of the Psychiatric Association, and the Minister's Advisor on Social Affairs.
- Preparing an urgent report for the Deputy Minister of Health, presented by the Director General of the Bureau.

Key Actions Taken are as follows

- Development of a 12-hour retraining program for field teams, identification of instructors, and coordination for centralized online training for psychologists in the macroregion.
- Third technical-operational meeting on April 30, 2025, from 15:00 to 17:00 with internal and external stakeholders, including the IRCS, Iran's State Welfare Organization, and representatives of scientific associations such as the Iranian Psychiatric Association and the Iranian Psychology Association.
- A 2-day in-person training workshop was organized for psychologists representing Hormozgan University of Medical Sciences, the Iranian Red Crescent Society, the State Welfare Organization, and the police. Experienced instructors delivered the training from the Ministry of Health and Medical Education, Shahid Beheshti University of Medical Sciences, and Kerman University of Medical Sciences. It was held 1 week after the incident. The workshop covered key topics, including psychological responses to disasters—specifically, identification of acute stress symptoms, acute stress disorder, and posttraumatic stress disorder; recognition and management of intrusive thoughts; understanding and managing hyperarousal symptoms; strategies for addressing avoidance behaviors; and practical methods for implementing psychosocial support programs during crises and disasters.
- The Director-General of the Mental and Social Health and Addiction department of the Iranian Ministry of Health and Medical Education participated in the Hormozgan Governorate's crisis management meeting on May 5, 2025, to enhance collaboration with partners.
- Ongoing monitoring, reporting, and data extraction based on Table 1.
- A training session on psychological interventions in grief for 15 trained psychologists in Hormozgan, conducted on May 26, 2025, with the participation of the focal point and experts from the Iranian Psychiatric Association.

Conclusion

This response emphasizes the critical importance of integrating mental health support into broader disaster management. Collaboration between government agencies, NGOs, and academic institutions enabled timely psychosocial care for affected populations. Lessons emphasize the need for pre-disaster preparedness, standardized screening protocols, and sustained interventions to address long-term mental health consequences in large-scale urban disasters. We will maintain our efforts to monitor and mitigate the midto long-term implications of this disaster among affected populations, with particular attention to vulnerable groups.

Authors' Contributions

Conceptualization: HZ, MS, HRF and AR; Writing – original draft: HZ, and MS; And writing – review & editing: HRF, BS, AS, AB, MGR, YM, and AR. All authors approve all manuscript contents, the author list and its order and the author contribution statements.

Ethical Considerations

Not applicable.

Acknowledgment

We must appreciate ongoing and invaluable efforts of all mental health professionals in order to improve psychosocial health of survivors and affected population amid this crisis.

Conflict of Interests

The authors declare that they have no competing interests.

References

- 1. (MOHME), M.o.H.a.M.E., Report of the Rajace Port blast D. Health, Editor. 2025.
- Keya TA, Leela A, Habib N, Rashid M, Bakthavatchalam P. Mental health disorders due to disaster exposure: a systematic review and metaanalysis. Cureus. 2023;15(4):e37031.
- Leiva-Bianchi M, Ahumada F, Araneda A, Botella J. What is the psychosocial impact of disasters? A meta-analysis. Issues Ment Health Nurs. 2018;39(4):320-327.
- 4. Dückers ML, Thormar SB, Juen B, Ajdukovic D, Newlove-Eriksson L, Olff M. Measuring and modelling the quality of 40 post-disaster mental health and psychosocial support programmes. PloS One. 2018;13(2):e0193285.